

MODEL ESS 707

Eye Surgery (Ophthalmic) Stretcher



FUNCTIONALITY

VERSATILITY

DURABILITY

ECONOMY

SAVION
ADVANCED PATIENT CARE®

Standard features



articulating ophthalmic head support, with dual operating adjustment knobs for exact positioning



fold-away manual cranks for adjustment of backrest and knee-break

Optional features & accessories



fixed, telescopic or built-in folding IV poles are available



Optional 5th wheel steering

Features and benefits

- double pedestal hydraulics – provides maximum stability at all platform heights
- pedal operation from both sides of the stretcher
- hands-free trendelenburg and reverse trendelenburg from either side of the stretcher
- central locking 8" (200mm) "TENTE" covered castors with steering castor
- brake pedal is located at each corner and can be operated from any position around the stretcher
- adjustable backrest (fowler) and knee-gatch by manual cranks to ensure extra stability
- collapsible (fold-down) stainless steel siderails, with autolock and quick-release lever
- articulating ophthalmic head support, with dual operating adjustment knobs for exact positioning – with different head-rest options
- adjustable padded wrist rest attachment with triple fitting positions
- Mattress – 4" (10cm) pad extra-comfort poly-foam, with pressure sore reducing cut-out, with waterproof, anti-bacterial, anti-static, fire-retardant, stretch cover

Construction

Twin-pedestal construction - the safest and surest way to ensure that the patient surface is always rigid and stable in every medical situation. The twin-pedestal hydraulic mechanism provides hands-free trendelenburg and reverse trendelenburg positioning to maximum angles - and can be operated from either side of the stretcher.

The base frame trolley is manufactured from galvanized steel and is covered by a sturdy and elegant moulded ABS cover - which serves also as patient storage tray and incorporates a built-in oxygen cylinder storage cradle with protection for the cylinder valve and nozzle.

The 4-section platform is manufactured from epoxy coated steel sheets or optionally from stainless steel or high pressure laminate (HPL).

The backrest and knee-break can be adjusted by the use of fold-away cranks located under the foot-end of the stretcher, ensuring added stability to the platform and keeping the adjustment handles away from the sterile area.

Mobility

The Millennium ESS707 is fitted with 8" (200 mm) castors, with 4-wheel locking and built-in steering mechanism which can be operated from any of the 4 corners of the stretcher by clearly indicated rocker pedals.

The castors have thermoplastic rubber treads - ensuring longer life and smooth-running as well as improved mechanical behavior such as wear resistance, resistance to temperature extremes and improved mobility.

Covered castors stay clean and unblocked in order to retain their improved performance over a longer period.

Color Options

Choice of white, cream or grey - other colors from RAL range are available on request.

Professional Care Line



The Professional Care Line range of equipment for doctors and surgeons – including ophthalmic stretchers and surgical chairs – is designed for comfort, convenience and safety for patient and surgeon



Standard features



central locking luxury TENTE 8" (200mm) covered castors with brakes accessible from each corner



built-in underbed oxygen cylinder cradle



clearly marked height adjustment and trendelenburg/reverse trendelenburg pedals – on both sides of the stretcher



collapsible (fold-down) self-locking siderails

Specifications Ophthalmic Stretcher model ESS707

Overall (incl. headpiece)		
length:	218 cm	86"
width:	76 cm	30"
Platform (excl. headpiece)		
length:	180 cm	71"
width:	62 cm	24.5"
Height Adjustment		
minimum height	57 cm	22.5"
maximum height	88 cm	34.5"
Siderails		
length	142 cm	56"
height	35 cm	14"
Backrest		
Maximum elevation	58°	
Knee-break		
Maximum elevation	18°	
Articulating Headpiece		
Height adjustment	10 cm	4"
Tilt up	63°	
Tilt down	35°	
Castors	8" (200mm) TENTE covered with central locking, one steering	
Accessory attachment sockets	4	
Stretcher weight	120 kgs	264 lbs

Options

- padded neck support
- electric operation
- stainless steel platform

